

Nautiz X7

Ahead of the curve



The Nautiz X7 exemplifies the evolution of handheld computers. Packed with innovative advancements in PDA technology, it surpasses everything else on the market with its mix of power, functionality and ruggedness. The Nautiz X7 can do everything you need to do – and some things you may not have even known you could do.

Performance begins with speed and power, and the Nautiz X7 offers a lively 806 MHz Xscale processor, with 128 MB of onboard RAM and a generous 4 GB of Flash storage. And this field-ready workhorse will go all day and more, with a 5600 mAh Li-ion battery that will operate up to 12 hours on a single charge. No other PDA provides more storage or longer standard battery life.

The Nautiz X7 also delivers an unprecedented package of capability. It starts with integrated SiRF Star III GPS, Bluetooth 2.0 and 802.11b/g WLAN functionality, plus a built-in 3-megapixel camera with autofocus and an LED flash. And the Nautiz X7 goes above and beyond with innovations such as 3G capability for GSM/UMTS phone and data transmission, an integrated compass and altimeter, and even a g-sensor/ accelerometer that can measure speed, vibration and rotation, opening the door to countless application possibilities. The Windows Mobile 6.1 Professional operating system, 3.5-inch VGA touchscreen display and a numeric keypad make this handheld as easy to operate as it is groundbreaking.

Of course, a tool with all these features won't do much good if it is not built tough enough to take virtually anywhere. With an IP67 rating which is unsurpassed among handheld computers, the rugged Nautiz X7 is impervious to both dust and water, and it can withstand repeated drops, vibration and operating temperatures from -30 °C to 60 °C. It weighs in at just 490 grams, and it's compact enough to operate in one hand.

With a combination of features and rugged performance you can not find in any other handheld, the Nautiz X7 is leading the way in mobile computing.



Size	179 mm (7") x 97 mm (3.8") x 37 mm (1.5")
Weight	490 g (17 ounces) including rechargeable battery
Environment	<i>Operating:</i> -30 °C to 60 °C (-22 °F to 140 °F) MIL-STD 810G, Method 501.4, Procedure II, Method 502.4, Procedure I, II & III <i>Storage:</i> -40 °C to 70 °C (-40 °F to 158 °F) <i>Temp. Shock:</i> MIL-STD-810G, Method 503.4, Procedure I (-40 °C/70 °C) <i>Drop:</i> MIL-STD-810G, Method 516.5, Procedure IV 26 drops from 1.22 m (4 ft) 6 additional drops at -30 °C (-22 °F), 6 additional drops at 60 °C (140 °F) <i>Vibration:</i> MIL-STD-810G, Method 514.5 Procedure I <i>Sand & Dust:</i> IP67; IEC-529 Dust: MIL-STD-810G, Method 516.5, Procedure IV <i>Water:</i> IP67; IEC 529 MIL-STD-810G, Method 512.4, Procedure I, Water Jet 12.5 mm dia. @ 2.5 – 3m, 100 Liter/min. <i>Humidity:</i> MIL-STD-810G, Method 507.4, 90%RH temp cycle 30~60 °C <i>Altitude:</i> 4572m (15,000 ft), MIL-STD-810G, Method 500.4, Procedures I, II & III
Processor/memory	Processor: Marvell PXA310 806 MHz Memory: 128 MB SDRAM
Data Storage	4 GB iNAND Flash
Operating System	Microsoft Windows® Mobile 6.1 Professional
Screen	480x640 pixel Anti-glare 3.5" VGA resolution, sunlight readable 262K colour (18 bit), TMR Technology with LED backlight
Keypad	Numeric keypad with backlighting, on-screen QWERTY keyboard
Battery	5600 mAh Li-ion battery pack
Connections	1 x USB host and client Power jack 1 x SDIO slot 9-pin serial RS-232 connector
Communication	PAN: Bluetooth 2.0 + EDR WLAN: Integrated 802.11b/g GSM/UMTS (HSDPA/EDGE) Integrated speaker & microphone with noise cancellation
Navigation	Integrated GPS SiRF Star III chipset with WAAS/EGNOS support Integrated E-Compass and G-Sensor Integrated Altimeter
Camera	Integrated 3 megapixel camera with autofocus and LED Flash
Options	<ul style="list-style-type: none">• RFID• Barcode scanner• Kenaz DGPS

Robotic Control & Automation

C/o Smith Engineering
Solway Industrial Estate
Maryport
Cumbria
CA15 8NF

tel: +44 (0) 1900 819444
Mobile: +44 (0) 7812 025724
fax: +44(0)1900 815553
Email: info@rcauk.com
Web: www.rcauk.com

